

**From the Chief Medical Officer
Professor Sir Michael McBride**



Department of
Health

An Roinn Sláinte

Mánnystrie O Poustie

www.health-ni.gov.uk

HSS(MD)59/2021

FOR ACTION

Chief Executives, Public Health Agency/Health and Social
Care Board/HSC Trusts/ NIAS

GP Medical Advisers, Health & Social Care Board

All General Practitioners and GP Locums (*for onward
distribution to practice staff*)

OOHs Medical Managers (*for onward distribution to staff*)

Castle Buildings
Stormont Estate
BELFAST
BT4 3SQ

Tel: 028 9052 0563

Email: Michael.McBride@health-ni.gov.uk

Our Ref: HSS(MD)59/2021

Date: 20 August 2021

PLEASE SEE ATTACHED FULL CIRCULATION LIST

Dear Colleague

**UPDATED POLICY FOR MANAGEMENT OF SELF-ISOLATION OF CLOSE
CONTACTS OF COVID-19 CASES WHO ARE FULLY VACCINATED –
ADDITIONAL SAFEGUARDS FOR HEALTH AND SOCIAL CARE STAFF**

Summary

On 23rd July a framework was issued facilitating the return of fully vaccinated health and social care staff to work in exceptional circumstances following close contact with a person with COVID-19, HSSMD(49) 2021 <https://www.health-ni.gov.uk/sites/default/files/publications/health/doh-hss-md-49-2021.pdf>. This was within the context of the advice for the general population in respect of self-isolation for close contacts which applied at that time.

As of August 16th the advice to the general population has changed. In Northern Ireland individuals who have been fully vaccinated (more than 14 days since they received the second dose of an approved COVID-19 vaccine) and have been in contact with someone who has tested positive for COVID 19 are exempt from the requirement to self-isolate. In addition contacts are advised to get a PCR test on day two and day eight of the 10 day period following last contact with the positive person. <https://www.nidirect.gov.uk/articles/coronavirus-covid-19-self-isolating>

It is important to ensure appropriate safeguards and protections for patients who may be more vulnerable to COVID-19. Hence this communication outlines a process of risk assessment and mitigation for Health and Social Care staff, particularly those working with immunosuppressed and clinically extremely vulnerable (CEV) patients.

As of the date of this letter, fully vaccinated Health and Social Care workers will be permitted to attend work under the new measures pertaining to the general population as outlined above. Employers no longer need to demonstrate that the service is in extreme circumstances to ask employees to return to work.

Fully vaccinated staff who are identified as a contact of a positive COVID-19 case will no longer be expected to isolate and can return to work in most circumstances. However, it is important the following safeguards are implemented for them to do so safely:

- The staff member has had two doses of an approved vaccine, and is at least two weeks (14 days) post their second vaccination at the point of exposure.
- A negative PCR test prior to returning to their workplace. Staff should not attend work while awaiting the PCR test result. A subsequent PCR test should also be undertaken at day 8 following exposure to the case of COVID-19.
- Provision of subsequent, daily negative LFD antigen tests for a minimum of 10 days following their last contact with the case each day before commencing a shift.
- LFD test results should be reported to Test and Trace via the web portal and to their duty manager or an identified senior staff member). Any close contact who has a positive LFD test should self-isolate and arrange a PCR test.
- If a staff member has had a SARS-CoV-2 infection in the past 90 days, they should not have a PCR test and should only undertake daily LFD antigen tests (as above).
- The staff member is and remains asymptomatic.
- Continued use of IPC measures, in line with the current UK IPC guidance and appropriate to the service setting to which the staff member is returning.
- The staff member does not have ongoing contact with the person who tested positive for COVID-19, for example, they do not live with them. The staff member should remain off until 10 days have elapsed following exposure to a household contact.
- The staff member should be given information about COVID-19 symptoms and asked to self-check for symptoms every day. If the staff member develops any COVID-19 symptoms they should stay at home and immediately arrange a PCR test.

This advice will now enable the majority of Health and Social Care staff to return to normal duties if they are fully vaccinated and a close contact of a case of COVID-19. However, additional safeguards should apply to staff deemed to be working in close contact with those more vulnerable to adverse consequences of COVID -19, for example, patients identified as immunosuppressed or Clinically Extremely Vulnerable. **For these settings as determined by the organisation, local senior**

decision-makers should request that returning staff who have been in contact with a confirmed case of COVID-19 are redeployed to other areas of lower risk where appropriate and as feasible.

In all circumstances a risk assessment must be carried out by a suitably competent and authorised manager in the organisation. **(See Annex A)**. HSC Trusts must have in place a lead Director with responsibility for governance, oversight, assurance and reporting in relation to implementation of the policy.

Other provider organisations and employers are asked to put in place similar arrangements, commensurate to the scope and scale of their operation.

It is important to note that this advice is not applicable to the nursing home sector at this point and advice for this setting is currently under review.

Yours sincerely



PROF SIR MICHAEL McBRIDE
Chief Medical Officer

Circulation List

Director of Public Health/Medical Director, Public Health Agency (*for onward distribution to all relevant health protection staff*)
Assistant Director Public Health (Health Protection), Public Health Agency
Director of Nursing, Public Health Agency
Assistant Director of Pharmacy and Medicines Management, Health and Social Care Board (*for onward distribution to Community Pharmacies*)
Directors of Pharmacy HSC Trusts
Director of Social Care and Children, HSCB
Family Practitioner Service Leads, Health and Social Care Board (*for cascade to GP Out of Hours services*)
Medical Directors, HSC Trusts (*for onward distribution to all Consultants, Occupational Health Physicians and School Medical Leads*)
Nursing Directors, HSC Trusts (*for onward distribution to all Community Nurses, and Midwives*)
Directors of Children's Services, HSC Trusts
RQIA (*for onward transmission to all independent providers including independent hospitals*)
Medicines Management Pharmacists, HSC Board (*for cascade to prescribing advisers*)
Regional Medicines Information Service, Belfast HSC Trust
Regional Pharmaceutical Procurement Service, Northern HSC Trust
Professor Donna Fitzsimons, Head of School of Nursing and Midwifery QUB
Professor Sonja McIlfattrick, Head of School of Nursing, University of Ulster
Siobhan Murphy, CEC
Donna Gallagher, Open University
Professor Paul McCarron, Head of School of Pharmacy and Pharmaceutical Sciences, UU
Professor Colin McCoy, Head of School, School of Pharmacy, QUB
Professor Colin Adair, Postgraduate Pharmacy Dean, NI Centre for Pharmacy Learning and Development, QUB
Joe Brogan, Assistant Director of Integrated Care, HSCB
Donncha O'Carolan, HSCB (*for distribution to all General Dental Practitioners*)
Raymond Curran, Head of Ophthalmic Services, HSCB (*for distribution to Community Optometrists*)
Trade Union Side
Clinical Advisory Team
Louise McMahon, Director of Integrated Care, HSCB

This letter is available on the Department of Health website at

<https://www.health-ni.gov.uk/topics/professional-medical-and-environmental-health-advice/hssmd-letters-and-urgent-communications>

RISK ASSESSMENT & GUIDANCE FRAMEWORK

UPDATED POLICY FOR MANAGEMENT OF SELF-ISOLATION OF STAFF WHO ARE FULLY VACCINATED AND WHO ARE CLOSE CONTACTS OF COVID-19 CASES– ADDITIONAL SAFEGUARDS FOR HEALTH AND SOCIAL CARE STAFF

Key Message

To provide additional safeguards and protections for people who may be more vulnerable to COVID -19, this guidance outlines a process of risk assessment and mitigation for patient/service user facing staff working in specific settings with immunosuppressed and clinically extremely vulnerable patients.

Background and Interpretation:

Individuals who are identified as a close contact of a confirmed case of COVID-19 and are fully vaccinated will no longer be required to self-isolate. This policy change will allow the majority of fully-vaccinated Health and Social Care to return to normal duties. However, additional safeguards will apply to those deemed to be working in close contact with those more vulnerable to adverse consequences of COVID 19 (immunosuppressed or clinically extremely vulnerable (CEV)).

In such circumstances a risk assessment must be carried out by a suitably competent and authorised manager in the organisation. Written records must be maintained and a lead Director in the organisation must take responsibility for oversight and local workplace risk assessments should take place to identify specific services that involve the care of immunocompromised and clinically extremely vulnerable patients.

For these settings as determined by the organisation, local senior decision-makers should request that returning staff who have been in contact with a confirmed case of COVID-19 are redeployed to other areas of lower risk where appropriate.

However, depending on particular service needs it may be necessary to allow staff to work in higher risk areas in exceptional circumstances where there is a risk to the safe delivery of health and social care services critical to the ongoing provision of care, because of staff absences, following appropriate risk assessment and application of mitigations.

In all instances for those in patient facing roles the following should apply in order for a staff member to return to work:

- The staff member has had two doses of an approved vaccine, and is at least two weeks (14 days) post their second vaccination at the point of exposure.
- A negative PCR test prior to returning to their workplace. Staff should not attend work while awaiting the PCR test result. A subsequent PCR should also be undertaken at day 8 following exposure to the case.

- Provision of subsequent, daily negative LFD antigen tests for a minimum of 10 days following their last contact with the case each day before commencing a shift.
- LFD test results should be reported to Test and Trace via the web portal and to their duty manager or an identified senior staff member). Any contact who has a positive LFD test should self-isolate and arrange a PCR test.
- If a staff member has had a SARS-CoV-2 infection in the past 90 days, they should not have a PCR test and should only undertake daily LFD antigen tests (as above).
- The staff member is and remains asymptomatic
- Continued use of IPC measures, in line with the current UK IPC guidance and appropriate to the service area to which the staff member is returning
- The staff member does not have ongoing contact with the person who tested positive – for example, they do not live with them. The staff member should remain off until 10 days have elapsed following exposure to the household contact.
- The staff member should be given information about COVID symptoms and asked to self-check for symptoms every day. If the staff member develops any COVID symptoms they should stay at home and immediately arrange a PCR test.

HSC Trusts must have in place a lead Director with responsibility for governance, oversight, assurance and reporting in relation to implementation of the policy. Other provider organisations and employers are asked to put in place similar arrangements, commensurate to the scope and scale of their operation.

Employers should continue to manage the health and safety of their staff under the relevant legislation.

Checklist for employer to complete with staff member

This assessment to be used if a relevant health or social care worker has been identified as a contact of a positive case of COVID-19.

Checklist – Employer with employee		
	Check	Mitigation
1	Does the staff member have COVID-19 symptoms? Symptoms – A high temperature A new, continuous cough A loss, or change to sense of taste or smell Other symptoms suggestive of COVID-19.	Yes – should attend for PCR and self-isolate No – <i>move to Q2</i>
2	Is the employee fully vaccinated (at least 14 days post 2 nd vaccination and evidence provided)?	No – staff member should self-isolate for 10 days. Yes – <i>move to Q3.</i>
3	Does the staff member reside with the person who has tested positive for COVID-19?	Yes – they should not attend work until 10 days post initial exposure. No – <i>move to Q4.</i>
4	Is their PCR status known?	PCR negative Are they agreeing to follow the required testing process? Yes – <i>move to Q5.</i> PCR positive – They self-isolate for 10 days. Status unknown – Need to book PCR in order to return to work.
5	Does the staff member know where to access lateral flow devices and are able to use them appropriately?	Yes – take a LFD test each day until the date 10 days after last contact with the positive case and receive a negative result before attending work and report result to their line manager and online https://www.gov.uk/report-covid19-result – <i>move to Q6.</i> No – Line manager should facilitate access to LFDs prior to return to work – <i>move to Q6.</i>
6	Is the staff member working with patients deemed to be immunosuppressed/ CEV?	No – there are no specific requirements on these workers Yes – action should be taken as outlined in the guidance