

DRUG ALERT
CLASS 2 MEDICINES RECALL

Action Within 48 hours
Pharmacy, Hospital, and Wholesaler Level Recall

Glaxo Wellcome UK Ltd

Ventolin Accuhaler 200mcg
(Salbutamol Sulfate)

PL 10949/0252

Lot Number	Expiry Date	Pack Size	First Distributed
786G	05-2019	1 x 60 doses	02-Oct-2017
754P	05-2019	1 x 60 doses	31-Aug-2017

Brief description of the problem

Glaxo Wellcome UK Limited is recalling the above Lots of Ventolin Accuhaler 200mcg because a manufacturing issue with these Lots has been identified which has resulted in a small number of units not delivering the full number of doses.

Advice for healthcare professionals

General Practices please take the following actions:

- Identify patients or carers who have received Ventolin Accuhaler since 31 August 2017
- Contact these patients or carers to notify them of this issue and ask them to check whether their Ventolin Accuhalers have Lot numbers 786G or 754P printed on the device and packaging. Refer patient/carer to Community Pharmacy if they have any difficulty carrying this out.
- The location of Lot number and Expiry is as shown in the images below

MPS 2506
MMS 1852

 Business Services
Organisation





- If the patient or carer has any Ventolin Accuhalers 200mcg from these Lots, they should be asked to return them to their pharmacy or their dispensing practice for replacement with a different Lot number. **Please provide replacement packs to patients at point of return, to ensure that affected patients are not left without a supply of their medicine.**
- **Display the attached poster.**



Community Pharmacies please take the following actions:

- Quarantine any remaining stock of these Lots and return to the original supplier for credit.
- Bring this alert to the attention of your patients when issuing prescriptions.
- **Display the attached poster.**
- **Please provide replacement packs to patients at point of return, to ensure that affected patients are not left without a supply of their medicine.**

Wholesalers

- Quarantine any remaining stock of these Lots and return to the original supplier for credit.

Patients

- If you have received any Ventolin Accuhalers 200mcg since 31 August 2017, check whether either of the Lot numbers 786G or 754P are printed on the device or any of the packaging.
- The lot number appears on the bottom of the Ventolin Accuhaler cardboard package (four characters after the word 'Lot') or in the centre of the device (similarly four characters after the word 'Lot')
- If you have any Ventolin Accuhalers from these Lots, take them to your pharmacy or your dispensing practice and speak to a pharmacist who will provide a replacement.



Medical Information enquiries:

For medical information enquiries, please contact customercontactuk@gsk.com, via our Live Chat facility on <https://hcp.gsk.co.uk/contact-us/live-chat.html> or on 0800 221 441 (option 4).

Stock enquiries: For stock enquiries, please refer to www.hcp.gsk.co.uk/supply.html or contact 0800 221441 (option 1).

Recipients of this Drug Alert should bring it to the attention of relevant professionals by copy of this letter.

TO ALL CHEMISTS, DOCTORS ON THE LISTS

Pharmaceutical Services
2 Franklin Street
BELFAST
BT2 8DQ

Telephone No. 028 9536 3552
Fax No. 028 9536 3901

22nd February 2018

Pharmaceutical website: <http://www.hscbusiness.hscni.net>