

**From the Chief Medical Officer
Dr Michael McBride**



Department of
Health

An Roinn Sláinte

Mánnystrie O Poustie

www.health-ni.gov.uk

HSS(MD)54/2020

FOR ACTION

Chief Executives, Public Health Agency/Health and Social
Care Board/HSC Trusts/ NIAS

GP Medical Advisers, Health & Social Care Board

All General Practitioners and GP Locums (for onward
distribution to practice staff)

OOHs Medical Managers (for onward distribution to staff)

PLEASE SEE ATTACHED FULL CIRCULATION LIST

Castle Buildings
Stormont Estate
BELFAST
BT4 3SQ

Tel: 028 9052 0563

Email: Michael.McBride@health-ni.gov.uk

Our Ref: HSS(MD)54/2020

Date: 29 July 2020

Dear Colleagues

PERSONAL PROTECTIVE EQUIPMENT AND HEAT: RISK OF HEAT STRESS

Summary

Please find attached (Tab A) relevant information on and appropriate actions to manage the risk of Heat Stress while wearing Personal Protective Equipment. I would ask that you circulate this information to relevant directorates in your organisation for their action.

Background

Wearing personal protective equipment (PPE) in warm/hot environments increases the risk of heat stress. This occurs when the body is unable to cool itself enough to maintain a healthy temperature. Heat stress can cause heat exhaustion and lead to heat stroke if the person is unable to cool down.

Occupational heat strain is associated with productivity loss and has an impact on the health of those affected.

To reduce the risk of transmission of COVID-19, healthcare staff are now required to wear PPE, specified for different settings and activities in line with national guidance. This can effectively require them to wear PPE for the entirety of their clinical work.

Please be aware that a further increase in demand for certain PPE items during warmer months due to staff changing equipment more frequently may be likely.

Please give this matter your immediate attention

Yours sincerely



Dr Michael McBride
Chief Medical Officer



Professor Charlotte McArdle
Chief Nursing Officer

ACTIONS TO REDUCE RISK OF HEAT STRESS

Note any actions taken must be aligned with local infection prevention and control policies.

- **Plan now for the summer high temperatures:**
 - Assess the risk of overheating in your workplace and consider appropriate control measures to implement.
 - Consider collective control measures first (e.g. remove or reduce the sources of heat where possible).
- **Ensure that staff are aware of the risk of heat stress when wearing PPE and know how to reduce their risk.**

Staff working in warm/hot conditions should:

- Take regular breaks.(NB managers should consider staffing level requirement to maintain service levels whilst accommodating increased staff breaks)
- Make sure you are hydrated (checking your urine is an easy way of keeping an eye on your hydration levels – dark or strong-smelling urine is a sign that you should drink more fluids).
- Be aware of the signs and symptoms of heat stress and dehydration (thirst, dry mouth, dark or strong-smelling urine, urinating infrequently or in small amounts, inability to concentrate, muscle cramps, fainting). Don't wait until you start to feel unwell before you take a break.
- Use a buddy system with your team to look out for the signs of heat stress (e.g. confusion, looking pale or clammy, fast breathing) in each other.
- Between shifts, try to stay cool as this will give your body a chance to recover

Further Information can be found at:

https://www.cas.mhra.gov.uk/ViewandAcknowledgment/ViewAttachment.aspx?Attachment_id=103597

